



TITAN DOOR SYSTEMS

Opening Doorways for Australia



ORIENTAL
FOLDING
DOOR

ORIENTAL FOLDING DOOR

Elegant - Versatile - Strong

Our Oriental concertina doors are the choice of Australian travel, with Titan's output featured in terminals within Australia - both domestic and international - as well as Australia's overseas terminals, in all shopping centres and in the most prestigious residential and commercial buildings. Featuring many exquisite contours & colours, Oriental Concertina Doors are ergonomically designed to maximise space and custom made to fit individual specifications.

Applications

Diverse applications are available, which include but are not limited to:

- Clubs
- Bar Tops
- Arcades
- Shopping Centres
- Doorways
- Sports Complexes
- Shopfronts
- Counter Tops.





Specifications

- **Curtain** – The Oriental 150 and Oriental 300 each have their own dimensions. For the 150, dimensions come to 120mm high x 150mm wide at the top (aluminium panels), while the bottom sees 120mm high and 120mm wide. The Oriental 300 is uniform for both the top and the base, with 120mm high and 300mm wide.
- **Track** – Efficient functioning requires a minimum radii for curved tracks, which can be found in the chart. The extruded aluminium incorporates 40mm high x 36mm wide.
- The panel edging system incorporates aluminium extrusion, with a continuous hinge at 16 degrees. There is both 3 and 4 mm toughness available in glass and polycarbonate, while a 1.6mm metal sheet is also an option.
- In terms of the materials for glazing, PVC extrusion hold edges in place, while opening height dictates rigidity and security of horizontal members.
- **Lock** – Titan's custom locking involves 50mm x 32mm aluminium extrusions. Snib operation is available, as well as options including side key, external and internal locking. The overhead structure must be in line with specification for support while both open and closed.


Features

- The Oriental side folding door is available in two standard panel widths, 150 and 300mm. Various infill panels can be fitted into the aluminium frame to change the appearance of the door.
- The Oriental folding door can be fitted to curved openings and stacks away neatly to provide the maximum opening aperture.
- This door is ideally suited where limited head room is available.


Width	NoDoors	IntermediateStyle	150 PanelStack Size	300 PanelStack Size
1000	1	0	270	230
2000	1	0	375	280
3000	1	1	575	430
4000	1	1	695	490
5000	1	2	895	650
6000	1	2	1000	695
7000	1	3	1215	840
8000	1	3	1320	900
9000	2	2,2	1700	1250
10,000	2	2,2	1790	1300

Technical Drawing

ORIENTAL 150 angled Stacking Enclosure Dimensions Oriental 150 (300mm radius min.)





TYPICAL APPLICATIONS



*Note: Enclosure depths are approximate minimum. On critical applications please consult manufacturer.

ORIENTAL 300 angled Stacking Enclosure Dimensions Oriental 300 (600mm radius min.)



A. Panel width available 150mm or 300mm
B. 175mm clearance from centre line of curtain to wall or column for 300 panel. 100mm minimum clearance from centre line of curtain to wall or column for 150 panel.

Contact Us



PO Box 828, Moonee Ponds 3039



info@TITANDoorsystems.com.au



Phone: (03) 9034 6047



Visit our website for full range

www.titanddoorsystems.com.au

ORIENTAL FOLDING DOOR