



TITAN DOOR SYSTEMS

Opening Doorways for Australia



SERIES 5000
LIFTAWAY
DOORS

SEREIES 5000

LIFTAWAY DOORS

Sophisticated - Versatile - Strong

Our liftaway door is unique, chic, secure, and a statement piece for any commercial and residential building. Despite its ease of functioning, the liftaway door has all essential ingredients of modern security. Visually eye-catching and unique in its marketing opportunities, the liftaway has a bifold door with counterweight technology that is custom built to specifications, creating new and exciting opportunities with your space while bringing peace of mind and ease of operation to the day to day running of any commercial or residential building. Whether it is a wall of glass or operable wall, the Lift-Away Door system will showcase your building.



SAFETY SYSTEM

Anti-Fall Brake

Monarch Renlita has incorporated a new safety feature to the Counterweight door range. Through innovative design and extensive in-house testing, we have developed and patented the Anti-fall brake. Our Counterweight doors are designed with a safety factor of 6 to 1 and the new Anti-fall brake increases this measure by incorporating a brake mechanism in the event of a cable failure.

Applications

Useful for a wide number of applications including:

- Sport complexes
- Bottle shops
- Shopping centres
- Bars
- Clubs
- Shop fronts, and many more



Specifications


Several design elements come together to make the liftaway door unique. These include:

- 10 psf wind loads (or higher upon request)
- Height up to 609cm
- Width up to 1520cm
- Powder coating and anodised finishes available
- Both ascending and descending liftaway options are available depending on individual taste
- Glazing materials available include stone cladding, wood, composites, glass, and metal
- Frame is steel sectioned and hollow
- Glide rollers are sectioned and adjustable for quiet, seamless operation
- Doors operated manually with dead bolt locking system
- Aluminium covers on jambs protect counterweights and are removable where desired
- Doors are sealed on all fronts- with Santoprene material gasket, EPDM rubber gaskets and a door panel seal all included

Contact Us

 PO Box 828, Moonee Ponds 3039

 info@TITANdoorsystems.com.au

 Phone: (03) 9034 6047



Visit our website for full range
www.titanddoorsystems.com.au

Features

- The liftaway door stands apart with its custom-made features that give it versatility and solidity. Acquiring more space is not necessary, as minimal jamb space is required.
- Structural load is centred on the jambs without connection to the header.
- Height is customised and operating systems can be tailored as either manual or motorised.